
62.61

Wholesale PRICE LIST 1954



LEO SCHRAKAMP'S

NURSERIES

56-38 210th Street, near
Horace Harding Boulevard
Bayside, L. I., New York
BAyside 9-6153



Larkfield Avenue
Commack, L. I., N. Y.

MEMBER OF



LONG ISLAND NURSERYMEN'S ASSOCIATION N. Y. STATE NURSERYMEN'S ASSOCIATION

PRICES are net, F.O.B. our Nurseries and cancel all previous quotations.

TERMS-Cash.

ITEMS which are greatly in demand are in this catalogue. Other items and plants especially selected are priced according to value.

PACKING or DELIVERY is charged at cost.

GUARANTEE—As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

BALLING AND BURLAPPING

Ball & Burlap (B&B) is free of charge with all evergreens and also with deciduous stock where specified B&B. A charge will be made for digging deciduous stock with ball and burlap where not specified B&B as per the following schedule:

	Shrubs				Trees		
					D	iameter	Ball
2	to	3	ft.	.50	15	inches	2.50
3	to	4	ft.	.50	18	inches	4.50
4	to	5	ft.	1.00	24	inches	7.50
5	to	6	ft.	1.25	30	inches	11.00

Platforms are charged for at cost and this amount is refunded or credited when they are returned to us.

This is a condensed listing of our stock. We will be glad to quote on any items omitted from this catalogue.

Unit Price Per 10

Prices subject to change without notice.

Ask for special quotation on quantities.

ABELIA grandiflora (Glossy Abelia)

Evergreen. Lilac-white tinted flowers.

Blooms all summer.

1 1/2 - 2' B&B

2.50

ABIES fraseri

(Fraser Fir)

This variety is also known as the Southern Balsam Fir. It is hardy north and a very satisfactory tree.

2-21/2'	3.00
21/2-3'	3.50
3-3 1/2'	4.00
3 1/2 -4'	5.00
4 1/2 -5'	7.50

douglasi

(Doughlas Fir)

Evergreen. Very hardy; dark bluishgreen coloring. Prefers well drained situation

4-5'		5.00
5-6'	100	7.50

ACER palmatum atropurpurem

(Red Japanese Maple)

Dwarf tree. Rich purple-red, 6-8'.

Leaves all summer. Best in sun.

1 1/2 - 2	(grafted)	BØB	7.00
2-21/2		181	8.00

platanoides

(Norway Maple)

The most popular street tree, retains its green leaves until late autumn.

1 3/4" cal.	(Staight Stem)	9.00
2-2½" cal.		12.00

(Schwedler Maple) schwedleri

Similar in habit to Norway, foliage comes out in Spring, deep purple.

12.00 1½-2" cal. (Fall 1954)

AMPELOPSIS tricuspidata (veitchi)
(Boston Ivy)
Brilliant autumn coloring, blue berries,
turning black; closely self-clinging. Also
called Japanese Creeper.
Bare Root 2-3 year old .35
Tot grown
AMELANCHIER canadensis (Downy Shadblow)
White flowers in early Spring before leaves; fruit are relished by birds. Also
called Juneberry
3-4' B&B 2.00
4-5' B&B 2.50
ANDROMEDA arborea (See Oxydendrum)
catesbaei (See Leucothoe)
japonica (See Pieris)
ARONIA arbutifolia (Red Chokeberry)
Red berries and crimson foliage in the
fall.
2-3'
melanacarpa (Black Chokeberry)
Delicate, white flowers in May; black
berries persist until late.
2-3' .75
AZALEA alta clarence (The yellow Azalea)
Varying from pale yellow to deep butter-
cup yellow; blooms borne in unusually
large trusses. 1 ½-2' 3.50
amoena (Amoena Azalea)
Evergreen. Conspicuous, purple-red flow-
ers. April-May. Leaves turn a rich,
bronze-green in winter.
15-18" 3.00 (Sanash Apple 2)
arborescens (Sweet Azalea)

arborescens (Sweet

Fragrant, white flowers in June. 3-3½' heavy 6.50

babeuff

Beautiful orange-red, tinged salmon azalea-large trusses.

1 1/2 - 2' 3.50

calendulacea (Flame Azalea)
The great flame Azalea of Carolina
Mountains; very showy, burnt orange
flowers.

18-24" 3.50

firefly (K	(urume Azalea)
Compact grower - brilliant	fiery red
15-18"	3.00
flame (F	Kurume Azalea)
Bright red flowers borne	in profusion;
very showy good foliage.	
15-18"	3.50
1 1/2 - 2'	5.00
	odegiri Azalea)
Evergreen. Larger leaves	
growth than Amoena; flower	ers very bright
red.	is very bright
red. 12-15"	2.50
	3.00
15-18"	0.00
kaempferi	
Alice—solmon red, dark blo	otch
Fedora—finest deep pink	
John Cairns—blood red	
Kathleen—rosy red	0.50
18-24"	3.50
2-21/2'	4.50
ledifolia alba	(Snow Azalea)
Evergreen. Large, single,	white flow-
ers. Freely produced. Ma	kes a striking
background for Azalea hine	odegiri, bloom-
ing same time.	
15-18"	3.50
	Salmon Azalea)
Evergreen. A beautiful p	lant. Flowers
at intervals.	
15-18"	3.50
2-21/2'	4.50
IIIOIIIS	(Chinese Azalea)
Large, showy flowers in sh	ades of orange
and red. May-June. Large	, hairy leaves.
Likes sun.	0.50
18-24"	3.50
III de l'oli di di di	Dahurian Azalea)
Lavender blossoms in April.	0.50
18-24"	3.50
4-472	4.00
nudiflora	(Pinxterbloom)
Flowers pale rose or pink leaves. Inhabits rocky	woodlands and
	Woodidated the
swamps. $2-2\frac{1}{2}$	3.25
Z-Z-72	

poukhanensis	(Korean Azalea)
Single, purple-lilac flov	
ly borne in May; very ho	
18-24"	
	3.00
2-21/2'	3.50
schlippenbachi	(Royal Azalea)
Pale rose color. May-Ju	
15-18"	2.50
snow	
Pure white hose in hose	e flowers, glossy
leaves	
12-15"	2.50
15-18"	3.00
BERBERIS juliana (Win	tergreen Barberry)
12-15" B&B (Fall 1954	
15-18" B&B (Fall 1954	
	apanese Barberry)
A splendid, low hedge p	
ing; brilliant autumn	
	coloring; scarlet
berries.	0.5
1 1/2 - 2'	.35
	ed Jap. Barberry)
A very desirable, new,	
ety of the above. For l	best color plant
in sun.	
1 1/2 - 2'	.50
2-21/2'	.60
BETULA alba (Euro	pean White Birch)
1 3/4-2" cal. B&B	12.00
2-21/4" cal. B&B	14.00
2 ¹ / ₄ -2 ¹ / ₂ " cal. B&B	16.00
2½-2¾" cal. B&B	20.00
2 3/4 - 3" cal. B&B	22.50
3-3½" cal. B&B	25.00
	af Weeping Birch)
Graceful pendulous hab	
men plant, one of the v	vnitest of white
birches.	14.00
1 3/4 - 2" cal. B&B	14.00
CALYCANTHUS floridus	(Sweetshrub)
An old garden favorite dark reddish-brown flow	with tragrant
2-3'	
	.65
CATALPA bungei	(Umbrella Tree)
5-6'	4.00
6-7'	4.50

CELASTRUS scandens

(American Bittersweet)

Most adaptable vine with sweet orange and red berries that retain color when cut and dried.

1 1/2 -2' .45

CERASUS (See Prunus) CERCIS canadensis

(American Redbud)

Rosy-pink April, very effective when planted with Dogwood; good foliage. Also called Judas Tree.

5-6' 2.50

CHAMAECYPARIS filifera

(Thread Retinospora)

Evergreen, Has long, stringy, drooping branches and bright green foliage. Graceful and decorative.

2.50 1 1/2 -2' 3.50 2-21/2'

(Slender Hinoki Cypress) obtusa gracilis 3.50 2-21/2' 4.50 21/2 3'

(Sawara Retinospora) pisifera Evergreen. Quick grower. Lossely pyramidal.

2.75 2-21/2' 3.25 21/2-3' 3.75 3-31/2' heavy 4.50 31/2-4'

aurea

(Golden Sawara Retinospora) 2.50 18-24" 2.75 2-21/2'

3.25 21/2-3' 3.75

3-31/2' 4.50 31/2-4'

(Plume Retinospora) plumosa Evergreen. Forms a dense cone of fine texture. Useful for shearing into formal

shapes.

2.50 18-24" 2.75 2-21/2" 3.25 21/2-3' 3.75 3-31/2' (heavy)

- 5 -

		(Goldenplume Retinospore	1)	
18-2	4''	2.50		
2,-21	/2'	2.75		
2 1/2 -		3.25		
3-4'	(heav	y) 3.75		
pl. lutes	scens			
	(Dw	varf Yellowplume Retinospora	()	
		Forms a low broad round-		
		sh; bright yellow-tipped		
branch		2.20		
1 1/2 -		3.00		
2-21/	2	3.50		
squarro)	
18-2	_	2.50		
2 1/2 -	3′	3.50		
CLETHRA	A alnif	olia (Summer Sweet)	
Spikes	of ve	ry fragrant flowers. July-		
Septem	ber. P	refers moist, shady places.		
	alled P	epperbush.		
2-3′		.75		
CORNUS	alba	(sibirica)		
	(Red branched bright red bark		
		porcelain Dogwood)	
Blue fr	uits.			
2-3' 3-4'		.60		
		.75		
florida 4-5'	מים	(Whiteflowering Dogwood))	
5-6'	B&B B&B	6.50 7.50		
6-7	B&B	8.50		
		8.30		
florida r	ıbra			
4-5'	707	(Redflowering Dogwood)		
		7.50		
	B&B	8.50		
kousa		(Kousa Dogwood)		
4-5'	B&B	6.50		
COTONEASTER horizontalis & praecox				
(Rock Cotoneaster)				
Evergreen. Small box-like leaves; bright				
red ber	ries; e	ffective among rocks.		
Date	A STATE OF THE PARTY OF THE PAR	1 00		

1.50

Potgrown

CRATAEGUS cordata	(Washington Thorn)
8-9' B&B	8.50
oxycantha pauli (Pau	ıl English Hawthorn)
Double scarlet flowers	•
6-7' B&B	8.50
CRYPTOMERIA japonica	lobbi
	(Lobb Cryptomeria)
Forms narrow, irregu	lar column, com-
pact and picturesque,	rich bronze winter
color.	
4-41/2'	4.50
4 1/2 - 5'	5.00
CYDONIA japonica	(Flowering Quince)
Scarlet flowers in April	l, May.
15-18"	.50
18-24"	.60
DEUTZIA gracilis	(Slender Deutzia)
18-24"	.80
Pride of Rochester	
(Large	Flowering Deutzia)
Large flowers, tinted p	ink, June.
3-4'	.75
4-5'	.85
ENKIANTHUS (Re	ed Vein Enkianthus
3-4' (Fall 1954)	3.50
FORSYTHIA	
spectabilis (Showy	Border Golden Bell)
Most profuse bright	yellow flowers,
April.	
3-4'	.75
4-5' Heavy (Fall 19	54) 1.50
GINKGO biloba	(Maidenhair tree)
Leaves shaped like me	aidenhair fern; im-
mune from insects.	
2-2½" cal.	13.00

(Althea-Rose of Sharon)

Double Red - Double Pink

Double Lavender - Double White
Flowers August to September.

3-4' .75 4-5' 1.00

HYDRANGEA paniculata

paniculata grandiflora (P. G. Hydrangea)
Single large white flowers in August

standard (Tree Hydrangea)
3.50

hortensis (pink and blue)

Heavy 2.50

ILEX crenata (Japanese Holly)

Evergreen. Box-like leaves, rich deep
green. Stiff branching, makes a good

hedge. Black berries.

1 ½-2'
2-2 ½'
5.00
2 ½-3'
6.00
3-4'
7.50
4-5'
8.50

convexa (bullata) (Box Leaf Jap. Holly)

Evergreen form of slow growth. Shiny
convex foliage.

15-18" specimen 3.00 18-24" 3.50

glabra (Inkberry)

Evergreen. Shining, dark green leaves and more hardy than preceding.

15-18" 2.00 18-24" 2.50

JUNIPER

excelsa stricta (Spiny Greek Juniper) Evergreen. Compact, well-shaped pyramid. Foliage gray-green.

18-24" 2.00 2-2¹/₂" 2.75

helzi 1 ½-2'	(Spreading Blue Juniper) 3.00
meyeri	(Meyer Juniper)
_	
	peautiful, deep blue dwarf
habit.	0.00
18-24''	2.00 2.50
2-2 1/2 '	
pfitzeriana	(Pfitzer Juniper)
	oad, bushy habit. Gray-
	giving feathery appear-
ance. Very ha	
1 1/2 - 2'	3.00
2-2 1/2 '	
virginiana	(Red Cedar)
4-5'	3.00
KALMIA latifolio	(Mountain Laurel)
Evergreen. Mo	ost effective in June when
the clusters of	pink flowers open. Good
foliage; likes s	
2-21/2'	3.00
KOLKWITZIA	
Amabilis (Beau	tybush)
Covered in ea	rly May with mass of pink
flowers	
2-3'	.75
3-4'	.85
LABURNUM voss	
	all tree with yellow, pea-
shaped flower	s in long racemes.
7-8' B& B	7.50
LEUCOTHOE co	tesbaei (Drooping Leucothoe)
Evergreen.	Attractive white flowers,
May. Handso	ome, lustrous leaves, rich
autumn colori	ng. Splendid for shade.
15-18"	2. 50
18-24''	3.00
LIGUSTRUM ove	rlifolium (California Privet)
Most popular	hedge plant.
1 1/2 - 2'	.14
2-3'	.17
standard 4	11/2' 2.50
standara	6' Special heavy 5.00

			(Ball Privet)
globe	+ 1		2.00
2′ 3′			3.00
3 ½′			3.50
regelianum	L		(Regal Privet) .45
18-24''			.60
2-3'			.00
LONICERA		/***	77
fragrantiss			Honeysuckle)
Fragrant,	white	flowers.	April-May
2-3'			.75
morrowi		(M	White Morrow)
2-3'			.7 5
sempervire		(Red Hone	ysuckle Vine)
6 ½ ′′ I	oots		.60
halliana	(Hall	Japanese	Honeysuckle)
2 yr.			.35
MAGNOLIA	soulana	eana (Sau	cer Magnolia)
			nite flowers
in May.			
2 1/2 - 3'	(Outsta:	nding) B&F	3 5.00
3-3 1/2 '	B&B		6.00
3 1/2 - 4'	B&B		7.00
4-4 1/2 '	B&B		8.00
4 1/2 - 5'	B&B		9.00
5-6'	B&B		12.00
MAGNOLIA	stellata	ı (S	tar Magnolia)
Spreading	, shrubb	y habit, fra	grant, semi-
double, v	white flo	wers appe	earing long
before the	e leaves.		
2 1/2 - 3'			7 .50
3-4'			8.50
4-5'			10.00
MALUS		(Flowering	Crab Apples)
Known fo			ers in early
Spring.			
atrosangui	neα	((Carmine Crab)
floribunda		(Jap. Fl	owering Crab)
eleyi		(Ely Fle	owering Crab)
ioensispler		(Bechtel Crab)
scheidecke	ri	(Sche	eidecker Crab)
7-8' (h	eavy)		6.50
7-8′ B8	B	en en en en en	8.50

OXYDENDRUM arboreum

Graceful clusters of white flowers, August. Good leathery foliage. Fine Autumn coloring.

4-5' B&B 7.50 5-6' B&B 10.00

PACHYSANDRA terminalis

(Japanese Spurge)

Evergreen. One of the best bedding plants for green effect in shady place.

PEONIES

B&B (best varieties) 2.50

PHILADELPHUS coronarius

(Sweet Mockorange)

White, fragrant flowers profusely borne in May-June.

3-4' .60 4-5' .75 5-6' heavy 1.50

virginalis (Virginal Mockorange)
Beautiful semi-double flowers produced
intermittently all summer.

3-4' .80 4-5' 1.00

glauca (Colorado Blue Spruce)
Evergreen. Pleasing blue color. Branches
in distinct whorls forming handsome
lawn specimen.

18-24" 3.50 2-2¹/₂" 4.50

PIERIS floribunda (Mountain Andromeda)

Evergreen. Waxy-white flowers in May.

Good deep green foliage, best in half
shady places. Very hardy.

18-24" 3.50

PIERIS japonica (Japanese Andromeda) Evergreen. Thick shiny leaves, turning bronze in winter. Drooping clusters of

small, white flowers open in May. Best in moist, partially shaded place.

18-24" light 3.50 18-24" heavy 4.00 2-21/2' heavy 5.00 6.50 2½-3' heavy

(Mugho Pine) PINUS mughus

Evergreen. Forms a round-topped clump. Useful for rock planting and foundation work.

18-24" 2.50

(Japanese Black Pine) thunbergi

Evergreen. Rich dark green long needles. 21/2-3' 4.50

PLATANUS occidentalis

(American Planetree or American Sycamore)

1 1/2" cal. 8.00 9.00 2" cal.

POPULUS nigra italica (Lombardy Poplar) Tall spire-like character; valued for landscape work and screens.

8-10' (Fall 1954) 2.50

PRUNUS cerasifera pissardi

Newport Thundercloud (Purple-leaf Plum) Valued chiefly because of purplish foliage; should be pruned every year for best color effect.

6-81 6.50

Glandulosa rosea

(Double Pink Flowering Almond) Flowers very showy, May.

2 1/2 - 3' B&B 1.50 3-4" 1.75 B&B

subhirtella pendula (Weeping Jap. Cherry) Graceful tree covered with pink blossoms in early spring.

No. 1 6.50

CERASUS kwanzen

(Jap. Flowering Cherries)

Flowers double pink

6-7' B&B (heavy)

12.50

PSEUDOTSUGA douglasi (Douglas Fir)

(See abies douglasi page 1)

RETINOSPORA (See CHAMAECYPARIS)

RHODODENDRON carolinianum

(Carolina Rhododendron)

Bright pink and white flowers in May or June.

18-24"

4.50

catawbiense

(Catawba Rhododendron)

Large rosy-purple flowers in May or June and prefers half-shade.

2-21/2"

5.00

21/2-3 3-3 1/2 1 6.50 8.00

RHODODENDRON maximum

(Rosebay Rhododendron)

Light pink flowers May-June. Large handsome foliage. Excellent for city planting.

 $2^{1/2} - 3'$ 3-3 1/2 1

4.00 5.00

31/2-4'

6.00

RHODODENDRON HYBRIDS

Named varieties

1 1/2 -2' 2-21/2'

7.50 8.50

21/2-3'

11.00

ROSES-HYBRID and CLIMBERS-

Different varieties and colors Northern Grown, No. 1 .

6 1/2" pots

1.20

SALIX babylonica

lutea (Babylon Weeping Willow) Particularly appropriate for waterside planting with its long pendulous branch-

4.50 1 1/2" cal. 1 3/4" cal. 6.00 8.00 2" cal.

SORBUS aucuparia

(European Mountain Ash)

A valuable tree on a small lawn; the scarlet berries are quite striking in fall.

12-14' B&B 12.00 14-15' B&B 16.00

SPIRAEA

prunifolia (Bridlewreath)

White, May, dark green shining foliage. turning orange in Autumn.

3-4' .90

thunbergi (Thunberg Spirea)
Slender arching branches clothed with
pure white flowers, April-May. Small
feathery light green leaves. Valuable

feathery light green leaves. Valuable for seaside planting.

2-3' .60

van houttei (Vanhoutte Spirea)

White, May-June. Graceful habit. Extremely free flowering and very adaptable.

2-3' .60 3-4' .75

SYMPHORICARPOS racemosus (Snowberry)
Conspicuous, white berries, attractive foliage. Most adaptable but best in half-shady, moist locations.

2-3' .60 3-4' .75

SYRINGA persica (Persian Lilac)
Blooms freely, lilac, May-June.

3-4' heavy B&B 2.50 4-41/2' B&B 3.50

HYBRIDS (named varieties)

2-3' B&B 2.50 3-4' B&B 3.50 4-4½' B&B 4.50 4½-5' B&B 5.00

TAXUS brevifolia (D	warf Jap. Yew)
Evergreen. Broad thick	leaves, dark
green. Slow growing a	
spreading habit. Exceptio	
12-15"	3.00
15-18''	3.50
18-24''	4.50
browni	(Brown's Yew)
18-24''	3.00
cuspidata (Jap. 1	Spreading Yew)
Evergreen. Rich, deep g	
Spreading, bushy habit.	
foundation plantings.	Exceptionally
hardy.	
12-15"	2.25
15-18" 18-24"	3.00 3.50
2-21/2'	5.00
2½-3' extra heavy	9.00
cuspidata capitata	
	Japanese Yew)
Evergreen. The Upright ty	_
2-2½' regular	3.50
$2\frac{1}{2}$ -3' regular	4.50
3-3½' regular	5.50
3½-4' regular	7.00
3-4' (extra heavy)	9.00
4-4½' extra heavy	10.00
4½-5' extra heavy	12.00
5½-6' extra heavy	15.00
densiformis (Compact S	Spreading Yew)
18-24''	3.50
hatfieldi	(Hatfield Yew)
Columnar type similar to H	icks Yew but
more compact.	
1 1/2 -2'	2.75

hicksi	(Hicks Yew)
Columnar form with upright	branches.
18-24"	2.60
2 ¹ / ₂ -3' heavy	5.00
_	(Kelsey Yew)
2-21/2'	4.50
media halloran	
1½-2'	3.60
moon's columnaris (Colum	nn Jap. Yew)
Beautiful upright and comp	pact broad
green leaves, extremely hardy	
2-21/2'	4.50
wardi	Ward's Yew)
Evergreen. Spreading habit	with dense
foliage and berries.	1
18-24"	3.50
2-21/2'	4.50
THUJA occidentalis (American	a Arborvitae)
Evergreen. Slender pyramid	with broad
base. Good accent plant or	
2 1/2 - 3'	2.50
3-31/2'	3.00
3 1/2 -4'	3.50
4-41/2'	4.00
41/2-5'	4.50
5-6'	6.50
6-7'	7.50 9.00
7-8'	
	y Arborvitae)
Evergreen. Almost globe-shap	
green. Useful in formal or	foundation
planting.	0.00
18-24" 2-2½"	2.00 2.50
elegentissimo (Goldentippe	
Evergreen. Branches tipped w	vith yellow.
Rich lustrous green.	0.00
21/2-3'	. · · . 3.0 0

3.50

3-3 1/2 '

nigra (Dark American Arborvitae)

Evergreen. Similar to American, only
darker green.

arnor groom.	
2-21/2'	2.50
2 1/2 - 3'	3.00

3-3½'
3.50
3½-4' (heavy)
4.50

4-5' 5.00

pyramidalis (Pyramid Arborvitae)
Evergreen. Retains bright green coloring throughout winter. Narrow columnar
shape.

2-21/2'			2.50
2 1/2 - 3'			2.75
3-3 1/2 "			3.00
3 1/2 -4' (1	reavy)		3.50
4-41/2'			4.00
4 1/2 -5'			4.50
56'			5.50

aurea nana

(Berckman's Golden Arborvitae)

A gem for dwarf planting; compact, roundish shape, warm golden yellow foliage. Good for edging.

15-18" 2.00 18-24" 2.50

TILIA cordata

(Littleleaf European Lindes)

2-2½" cal. 20.00

TSUGA canadensis (Canada Hemlock)

Evergreen. Most graceful and Adaptable, the spreading horizontal branches making effective shadow effects. Useful in either clipped hedge or informal planting.

2 1/2 - 3'	(heavy)	6.00
4-4 1/2 '	heavy	8.50
4 1/2 - 5'	heavy	12.00

Other sizes according to selection

Stateliness and dignity are here exemplified. Fairly rapid in growth, this typical American tree soon assumes regal proportions and commands respect of all who look upon it.

2-2½" cal.			9.00
2½-3" cal.			12.00
3-3½" cal.			15.00
3½-4" cal.	10000	1 1 2 3 4	18.00

VIBURNUM americanum (oxycoccos)

(American Cranberrybush)

Bright scarlet berries in large bunches, persisting all winter.

3-4' 1.00

VIBURNUM burkwoodi

(Burkwood Viburnum)

A hybrid viburnum similar to carlesi but superior in foliage which is semievergreen and glossy. Fragrant pink clusters in early May.

2½-3′ B&B 3.50

VIBURNUM cassinoides (With-rod)

White, June-July. Berries pink changing to dark blue. Rich autumn coloring; splendid for massing and near water.

2¹/₂-3' 1.00

VIBURNUM carlesi (Fragrant Viburnum)

One of the most desirable, semi-dwarf flowering shrubs with wonderfully fragrant flower clusters of white shaded with pink. Foliage nice green.

2-3' B&B 3.00

dilatatum (Linden Viburnum)
White, May-June, scarlet showy berries
persisting.

4-5' 1.00

White, May-June. Handsome, dark green, wrinkled leaves. Berries red, changing to black.

3-4'

1.00

lentago

(Nanyberry)

White. May-June. Handsome shining leaves. Blue-black fruits. Splendid shrub for massing.

3-4'

1.00

VIBRUNUM opulus sterile

(Common Snowball)

Has showy, round head of white flowers, May-June.

3-4' B&B

1.50

prunifolium

(Blackhaw)

Pure white flowers, April-June. Blue-black berries.

3-4'

3.50

sieboldi

(Siebold Viburnum)

White. May-June. Handsome dark green. leaves.

2-3'

.60

VITEX agnus-castus (Lilac Chaste-tree)

Dainty shrub, lilac flowers. August to
September. Gray-green, star-shaped
leaves.

3' B&B

1.50

WEIGELIA Eva Rathke

(Redflowering Weigelia)

Carmine. June-August. Most floriferous.

3-4'

.75

floribunda (Crimson Weigelia)
Upright growing shrub with crimson flowers.

3-4'

.75

4-5'

1.00

nana variegata (Variegated Weigelia)

Pink flowers; variegated leaves.

3-4'

Showy pink flowers freely produced

Showy, pink flowers freely produced, June.

3-4' .75 4-5' 1.00

WISTERIA multijuga (Longcluster Wisteria)

Has long drooping racemes of purple
flowers. Unusually fine to cover a trellis or pergola.

Seedlings bare root 2.00

Hybrid grafted—Blue & Pink

B&B 4.50

FRUIT TREES AND BUSHES

APPLES	2.00 to 8.50
PEARS	6.50 to 8.50
PEACHES	2.50-5.00
PLUMS	6.50 to 8.50
QUINCE	3.50
GRAPES—Concord	1.50

HOLLAND BULBS (Fall 1954)

Tulips Hyacinths

Narcissus Crocus



LEO SCHRAKAMP'S NURSERIES

BAyside 9-6153

Victory Press Flushing, N. Y.